Surfcoast	COMMITTEE: Stribling Reserve Committee Of Management PRESENT: Miah Atwell, Geoff Couper, Carly Enticott, Linton Ferguson, Barry Keily, David Mullen, Peter Spring, Allan Walls, APOLOGIES: Wendy Jarratt, Jarrod Westwood VISITORS: Clive Goldsworthy	DATE: TIME: VENUE:	8 February 2016 5:00 PM Stribling Reserve
Adoption of previous minutes	Moved – Linton Seconded – Geoff		
Conflict of Interest Declaration	None		
Business Arising	 Electronic scoreboard, no news Storage pods for stadium, 10 days for plans to be completed Netball fencing, quote accepted, to be done by end of February Falls Festival hire fee, PS to offer refund of fees 		
Correspondence In	Lorne School		
Correspondence Out	None		
Treasurer's Report	 Financial reports tabled and discussed. Income down due to: delay in invoicing school pending reduction of fee due to no oval access; fewer bookings due to no oval access. A loss of revenue of approximately \$9,000 because February/March bookings require oval for practice football matches. Water bill is currently being paid by the Shire – thank you Financial report accepted: moved Pete, seconded Miah 		
Booking Officer Report	Booking Calendar see https://sites.google.com/site/lorneleisurecentre/home Last weekend Hoppers Crossing FC, successful stay 13 Feb Modewarre, oval 1 hour light training session, 27 Feb UHSVU FC, 4 Mar OIG FC, 12 Mar LFNC practice 26 Mar LFNC v Birregurra Three possible weekends have not been booked. Two clubs have not booked because no oval. New key code 2 4 8 0 Enquiry from Albert Fillipa interested in starting up a Table Tennis competition – need some nets Soccer started last Wednesday, Women's basketball starting this Wednesday, Lina runs fitness session on Tuesdays		
User Groups Report	See General Business		
Shire Report	 Stribling Reserve Masterplan: Council briefing tomorrow to determine masterplan delivery. Awaiting committee response in regards to dates to meet for follow up/next steps Stribling Oval Renovation: January works Fertiliser was applied, 450kg of Elevate slow release. The surface was also Verti – drained using 19mm Jumbo solid tynes. Amendments were added upon soil test recommendations, including 2 ton of Gypsum and 400kg Kieserite were applied and washed in. 		