AMENDMENT C114 – SPRING CREEK PRECINCT STRUCTURE PLAN – SCHEDULE OF FURTHER WORK

Item	Scope of work	Actions	Estimated cost
1. Stormwater and drainage	 Review the appropriateness of replacing waterbodies WL15 and WL21 with water management infrastructure at a downstream location and review the extent of WL01 Investigate mechanisms to provide for the equalisation of contributions to shared water management infrastructure Update the stormwater modelling report to include reference to the impact of climate change 	Consult CCMA Engage Stormwater consultants	TBC
2. Biodiversity	 Investigate the implications of accepting part of vegetation patch GW5 at 200-220 Great Ocean Road as an offset site and review public access / use options for the degraded SW portion Investigate if public funds have been used for the planting of vegetation patch SRW1 Review the significance of the vegetation at 160 and 195 Grossmans Road Review and refine the NVPP, including: Clear explanation of the rationale for vegetation retention and removal Inclusion of a minimisation strategy Minimisation of specific offsets Inclusion of roadside vegetation Clear explanation and identification of vegetation for practical retention Rewording of tree protection zone requirements Information that explains the difference between specific and general offsets, and the offset requirements for landholders 	 Consult DELWP Engage Biodiversity consultants Contact SCIPN re SRW1 revegetation works 	\$3,000
3. Climate change	Undertake further work to understand climate change impacts on native vegetation across the precinct and determine suitable revegetation species	Consult Environment & Climate Change Unit	Officer time
4. Open space	 Justify the provision of open space, including: Provision of passive open space Demand for and delivery of active open space Distribution of local parks Width and alignment of waterway buffers Size and configuration of proposed open space and conservation reserves (incl. GW5, OS-01, OS-02, OS-08, OS-13) 	Engage Open space planning consultants to build on advice previously provided on Spring Creek PSP	\$2,400
5. Density	 Explore options to increase densities within walking distance of the NAC and private school and opportunities for medium density housing immediately adjacent to the NAC Amend PSP maps and land use budget accordingly 	Work with VPA	Nil
6. RDC's	Justify the application of the design controls through mandatory provisions	Prepare in-house	Officer time
7. PSP drafting changes	Update PSP text and maps as appropriate	Request VPA to amend the PSP	Officer time
8. UGZ1 drafting changes	Update UGZ1 as appropriate	Undertake in-house	Officer time
9. Bushfire	Consider preparing a Bushfire Assessment to inform an appropriate design response and mitigation strategies to address potential bushfire risk from the adjacent rural grasslands and vegetated creek corridor	Engage Bushfire management consultants	\$10,000